

TELEPRINTER GEAR SPEED IDENTIFICATION

For those wishing to identify the operating speed of their equipment, or alter the speed thereof, the following is submitted:

TELETYPE CORPORATION

Mod. 15 and 19 Left hand pinion (drive) gear			Model 14 TD Left hand pinion		
74912	7T 60 @	1800	80164	6T 40 @	1800
74913	30T 60	1800	80163	45T 40	1800
74505	7T 60	2100	87371	6T 50	1800
74151	35T 60	2100	135062	34T 50	1800 metal clutch
84018	7T 60	1500	123717	8T 50	2100
84018	25T 60	1500	135069	53T 50	2100 metal clutch
91286	7T 75	1800	80166	9T 60	1800
91287	24T 75	1800	80165	44T 60	1800
84105	8T 75	2100	135036	44T 60	1800 metal clutch
114460	?T 66	1800	87222	44T 60	1800 TT26 no clutch
114461	?T 66	1800	77034	7T 60	2100
			77036	40T 60	2100
	Mod. 14 Reperf. Right hand pinion		135068	40T 60	2100 metal clutch
78510	7T 60	1800	84357	40T 60	2100 TT26 no clutch
78509	30T 60	1800	91131	13T 60	1500
71974	7T 60	2100	91132	53T 60	1500
73106	35T 60	2100	135067	53T 60	1500 metal clutch
84064	7T 60	1500	136582	13T 65	1800
84065	25T 60	1500	136583	60T 65	1800 metal clutch
94267	7T 75	1800	116767	11T 66	1800
88945	24T 75	1800	135065	50T 66	1800 metal clutch
7082	8T 75	2100	123711	10T 66	2100
6991	32T 75	2100	135065	53T 66	2100 metal clutch
110876	16T100	1800	91285	12T 75	1800
110877	42T100	1800	136525	47T 75	1800
110881	14T100	2100	136525	47T 75	1800 metal clutch
110882	43T100	2100	91283	7T 75	2100
			135064	32T 75	2100 metal clutch
	Model 28 Printer 60T nylon mainshaft gear		110883	12T100	1800
151129	48T	Steel intermed. gear	135035	36T100	1800 metal clutch
151130	96T 60		77025	10T100	2100
151131	96T 60		135061	35T100	2100 metal clutch
148085	14T 60	ASR	104579	7T 60	1800 TT25 revg TD
159278	14T 60	NYLON SET	104580	30T 60	1800 TT25 revg TD
159279	96T 60	NYLON SET	104659	9T 60	2100 TT25 revg TD
151132	17T 75	FIBER SET	104558	45T 60	2100 TT25 revg TD
151133	93T 75	FIBER SET			
159281	17T 75	NYLON SET			
159282	93T 75	NYLON SET			
158083	17T 75	ASR			
151134	20T100	FIBER SET			
151135	84T100	FIBER SET			
158181	20T100	ASR			
159284	20T100	NYLON SET			
159285	84T100	NYLON SET			

(TT25 is revg TD, turns at revg speed)

(TT26 dual-chan. trans. TD, no clutch)

MOTORS: 14-15-19 generally 1800 sync. or 2100 gov. (set by "87.6 vps" fork). Note 1500 & 1800 gov., and dual-speed gov. may occasionally be found.

28: both sync. & gov. are 3600 rpm. gov. set by 120 vps. fork.